



home  
automation



lighting



electric



furniture

**ORNO**<sup>®</sup>

LIVING INNOVATIONS



## DATA SHEET

### Single family videodoorphone IMAGO, 7", white

symbol: OR-VID-MC-1059/W

**Manufacturer:**  
ORNO-LOGISTIC Sp. z o.o.  
ul. Rolników 437, 44-141 Gliwice  
tel: 32 43 43 110  
www.orno.pl

ISBN 5900378653202



5 900378 653202 >

## Product versions:

|   |   |               |  |
|---|---|---------------|--|
|  | Single family videodoorphone IMAGO, 7", black<br>OR-VID-MC-1059/B | Colour: black | ISBN 5900378653233<br><br>5 900378 653233 > |
|  | Single family videodoorphone IMAGO, 7", white<br>OR-VID-MC-1059/W | Colour: white | ISBN 5900378653202<br><br>5 900378 653202 > |

## The main features:

A modern videodoorphone, available in two colours (white and black), equipped with an ultra slim 7" LCD monitor with smooth adjustment of parameters (brightness, color contrast and volume of conversation), 16 selectable ringtones and an additional gate control function. External panel with CMOS camera requires surface mounting (protective rain cover included). It's equipped with infrared lighting that enables night vision and an additional gate control function. DC power supply from the power supply to the 12V DC socket. Electric strike with power consumption of no more than 500mA does not require additional power supply.



Control of the  
automatic gate



Possibility of  
extension by an  
additional  
monitor



DISPLAY:  
7 inch LCD



NUMBER OF  
RINGTONES:  
16

# Technical specifications:

## General Information

|   |                                    |
|---|------------------------------------|
| Type:   | single-family                      |
| Type of transmission:                                     | wired                              |
| Type of power supply:                                     | power supply                       |
| Connection system:  | 4-wire                             |
| Number of wires:  | 4+2                                |
| Power supply of the electric strike:                      | power supply from a videodoorphone |
| Control of the automatic gate:                            | ✓ yes                              |
| Possibility of extension by an additional external panel: | ✗ no                               |
| Possibility of extension by an additional monitor:        | ✓ yes                              |
| Possibility of extension by an additional video uniphone: | ✗ no                               |
| Possibility of extension by an additional cctv camera:    | ✗ no                               |

## Monitor

|  |                  |
|--|------------------|
| Usage:   | via speakerphone |
| Display:   | 7 inch LCD       |
| Resolution of the monitor's screen:                      | 480 / 800        |
| Colour:  | white            |
| Memory:  | ✗ no             |
| Sd card reader:  | ✗ no             |
| Intercom function:                                       | ✗ no             |
| Number of ringtones:                                     | 16               |
| Touch screen:  | ✗ no             |
| Dimensions of the monitor (width x height x depth [mm]): | 182 / 133 / 19,5 |

## External panel with a camera

|                 |                  |
|-----------------|------------------|
| Type of camera: | traditional lens |
|-----------------|------------------|

Vertical/horizontal camera's view angle: 66 Grad / 86 Grad

Resolution of the camera: 600TVL

Installation: surface mounting

Card and proximity tags reader: ✗ no

Keypad: ✗ no

Night lighting: infrared

Dimensions of the external panel (width x height x depth [mm]): 44,5 / 124,5 / 42